

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name CRAFT MINI GLUE STICK

Product Code(s)
30803735
30803735

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Hot-melt adhesives

Uses advised against

Details of manufacturer or importer

Supplier
Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia

Label elements

Hazard statements

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia

Other hazards which do not result in classification

Contact with product at elevated temperatures can result in thermal burns

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

SAFETY DATA SHEET

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26
Poisons Information Center, New Zealand: 0800 764 766

FIRST AID

Inhalation **Molten** . Move to fresh air in case of accidental inhalation of vapors or decomposition products. **Solid:** . Not an expected route of exposure.

Eye contact **Solid:** . In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. **Molten** . Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Contact with molten materials requires immediate medical assistance.

Skin contact **Solid:** . Wash skin with soap and water. **Molten** . After contact with molten product, cool skin area rapidly with cold water. For severe burns, immediate medical attention is required. Do not remove clothing if adhering to skin. Do not try to removed solidified material from the skin. Removal of solidified molten material from skin requires medical assistance.

Ingestion Get immediate medical advice/attention. Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms Contact with molten substance may cause severe burns to skin and eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Burns caused by molten material must be treated clinically. Treat any burns as thermal burns, after decontamination.

Section 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media Do not use straight streams.

Specific hazards arising from the chemical

Specific hazards arising from the chemical The product is insoluble and floats on water. The melted product can cause severe burns.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Special protective actions for fire-fighters

SAFETY DATA SHEET

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Where possible allow molten material to solidify naturally.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment **Molten** . Cover with dry sand/earth.

Methods for cleaning up **Solid:** . Take up mechanically, placing in appropriate containers for disposal. **Molten** . Where possible allow molten material to solidify naturally. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Clean contaminated surface thoroughly.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Wash thoroughly after handling. Take precautionary measures against static discharges. Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors. Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

SAFETY DATA SHEET

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin and body protection	Long sleeved clothing. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Hand protection	Solid: . For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Heat resistant gloves are recommended when handling molten materials.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Environmental exposure controls	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Solid
Color	Clear, colorless
Odor	Odorless
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not applicable .	
Melting point / freezing point	87 °C	
Boiling point / boiling range	No data available	
Flash point	> 200 °C	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	0.91	
Water solubility	Insoluble in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other information

Solid content (%)	No information available
VOC Content (%)	No information available
Density	No information available

Section 10: Stability and reactivity

Reactivity

Reactivity	No information available.
-------------------	---------------------------

Chemical stability

SAFETY DATA SHEET

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid static discharge (electrostatic discharge). Extremes of temperature and direct sunlight. Do not add water or other volatile material to molten adhesive. Under dusty conditions avoid all sources of ignition, including sparks and static electricity.

Incompatible materials

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO₂). Hydrocarbons.

Section 11: Toxicological information

Acute Toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact May cause irritation. Contact with product at elevated temperatures can result in thermal burns.

Skin contact May cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms No information available.

Numerical measures of toxicity - Product Information

On basis of test data

Oral LD50 3000 mg/kg (rat)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	None under normal use conditions.
STOT - repeated exposure	None under normal use conditions.
Aspiration hazard	Not applicable.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Mobility No information available.

Other Adverse Effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

SAFETY DATA SHEET

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

National pollutant inventory

No substance(s) listed on inventory

International Inventories

AICS	Listed
NZIoC	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed

Legend:

- AICS** - Australian Inventory of Chemical Substances
- NZIoC** - New Zealand Inventory of Chemicals
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 12-Feb-2020

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Section 11: TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

CRAFT MINI GLUE STICK
Revision Number 3

Revision date 12-Feb-2020
Supersedes Date: 20-Feb-2015

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet