



# Glitter Glue

SUSPENSION OF GLITTER IN ADHESIVE

Date: 30 March 2022

Fact Sheet No.: TDS02026

## YOUR SMART ADVANTAGES

- Perfect for arts and crafts amongst children and adults alike
- Less mess alternative to glitter, combines glitter with glue
- Solvent free and washes out of clothes

## USES

Bostik Glitter Glue pens are the ideal way to add glitter to cards, pictures, posters and party stuff. You can fill shapes, write words, draw fancy borders and lots more. Because the glitter is inside the glue, there is no mess to sweep up!

Bostik Glitter Glue contains water-borne adhesives based on polyvinyl alcohol, with flakes of polyester glitter in a variety of colours, in suspension.

Bostik Glitter Glue is UKCA and CE approved.

## PRODUCT CHARACTERISTICS

Colours	Colourless liquid with red, blue gold, green, pink and silver glitter
Form	Suspension of glitters in water based gel adhesive
Specific Gravity	1.05±0.05
Composition	Polyvinyl alcohol with polyester flakes
Product Code	30613521 6 x 10.5ml pens x 6 blister cards

Storage/Shelf Life	Store for up to 12 months from date of manufacture when stored in original, unopened packaging. Store in a cool dry place. Avoid exposure to strong light, heat sources and freezing.
Odour	Nil

## TYPICAL PERFORMANCE DATA (Approx.)

Application Temperature	+5°C to +30°C
Service Temperature	-10°C to +70°C
Coverage	0.5 - 1 metre line of 2mm glitter per pen
Drying Times	Up to 24 hours

## DIRECTIONS FOR USE

IMPORTANT: Before using Bostik Glitter Glue refer to the relevant Health & Safety Data Sheet, available at [www.bostik.com/uk](http://www.bostik.com/uk)

## PREPARATION

1. Work on a protected surface.
2. The surfaces must be clean, dry and free from any dust or loose matter.

## APPLICATION

3. Remove the top, squeeze the tube gently and apply the glitter glue to the surface.
4. Your glittery design will be dry in about half an hour, or less if you have spread it thinly. However, the adhesive will fully bond in 24 hours after applying

the glitter glue depending on the thickness or the amount of the glue and ambient conditions.

5. If you put on more glitter than you need, you can wipe it off with a damp cloth.

## CLEANING

6. After use, clean the nozzle and screw threads, then replace the cap.
7. Should the application nozzle of the pens become blocked with glitter during use, they can be easily unblocked by carefully inserting a piece of wire, for example a paper clip into the opening.
8. Excess adhesive may be wiped off with a damp cloth before it dries.
9. Spills can be washed out of clothes before the adhesive is dry.

## PRECAUTIONS IN USE

For any application not covered please contact Technical Services on +44 (0)1785 272625 or visit [www.bostik.com/uk](http://www.bostik.com/uk) for advice.

Recommendations and suggestions are for guidance only, since conditions of use are completely beyond our control.

For health and safety instruction, first aid measures and spillage and disposal instructions, see separate Health and Safety Data sheet for Bostik Glitter Glue, available at [www.bostik.com/uk](http://www.bostik.com/uk)

BOSTIK HOTLINE

Smart help +44 (0) 1785 272625



This disclaimer is issued by Bostik Limited ("the Company") and applies to the use of any products supplied by the Company ("the Products") displayed on this Technical Data Sheet ("TDS"). Please read this disclaimer carefully before using any of the Products. Using this TDS and/or the Product constitutes your acceptance of this disclaimer. Its contents shall prevail over any directions of use and any disclaimer and/or exclusion or limitation of liability of the Company which may appear on the packaging of the Products.

This disclaimer sets out the entire financial liability of the Company (including any liability for the acts or omissions of its employees, agents and sub-contractors) to any user of the Products ("Product User") in respect of any use made or resale by the Product User, of any of the Products in this TDS.

This disclaimer does not affect the Company's liability for death or personal injury arising from the Company's negligence in respect of the Products, nor its liability for fraud, or fraudulent misrepresentation, nor any other liability which cannot be excluded or limited under applicable law.

The Company's total liability however arising and whether caused by tort (including negligence and breach of statutory duty), breach of contract or otherwise, arising in connection with the use made or resale by the Product User of any of the Products in this TDS shall be limited to the price paid for the Product by the Product User.

The Company shall not be liable to the Product User for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims (including in respect of personal injury insofar as not caused by the Company's negligence) for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the use made or resale by the Product User of any of the Products in this TDS.

The Company shall not be liable to the Product User in relation to any loss for any use which is inappropriate or use which is otherwise than in accordance with the relevant instructions for use of the Products in this TDS or on the Product. Product Users are advised to confirm the suitability of the Products by their own tests.

This TDS covers just one of a large range of products supplied by the Company.

Full information on these products and advice on application is freely available from our fully trained staff throughout the country. In addition, specialist technical advice is available from our Technical Services Department. This TDS supersedes all previous TDSs relating to the Products, and users of it must ensure that it is the current issue. Destroy all previous TDS, and if in any doubt, contact the Company, quoting the code number in the top right hand corner on the front of this document.

Sales	Tel: 0844 371 1192	<a href="mailto:customer.service@bostik.com">customer.service@bostik.com</a>
Technical Advice	Tel: 0844 371 1197	<a href="mailto:technical.service@bostik.com">technical.service@bostik.com</a>
Safety Data Sheets	Tel: 01785 272625	<a href="mailto:sds.box-eu@bostik.com">sds.box-eu@bostik.com</a>